

CALPHAD

**AUTHOR AND SUBJECT INDEX
VOLUME 17, 1993**



PERGAMON PRESS
New York • Oxford • Seoul • Tokyo

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

EDITOR-IN-CHIEF

Larry Kaufman, Cambridge Technology Center, Alcan Aluminum Corporation
21 Erie St., Cambridge, Massachusetts 02139, U.S.A.

ASSOCIATE EDITORS

I. Ansara

Laboratoire de Thermodynamique et
Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire BP.75,
38402 St. Martin d'Heres, France

C. Bernard

Laboratoire de Thermodynamique et
Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire BP.75,
38402 St. Martin d'Heres, France

T. Chart

Division of Materials Metrology
National Physical Laboratory
Teddington, Middlesex,
England DW11 0ILW

M. Hillert

Division of Physical Metallurgy
Royal Institute of Technology
S-100 44 Stockholm 70, Sweden

H.L. Lukas

Max-Planck-Institut für
Metallforschung
Institut für Werkstoffwissenschaften
Pulvermetallurgisches Laboratorium
Heisenbergstrasse 5
D-7000 Stuttgart 80, Germany

A.P. Miodownik

Department of Metallurgy
University of Surrey, Guildford
Surrey, GU2 5XH, England

H.A.J. Oonk

Chemical Thermodynamics Group
Faculty of Chemistry
University of Utrecht
Padualaan 8, 3584CH Utrecht
The Netherlands

A.D. Pelton

Département de génie métallurgique
École Polytechnique
Université de Montréal
Montréal, Québec, Canada H3C 3A7

T. Nishizawa

Department of Material Science
Faculty of Engineering
Tohoku University, Sendai, Japan

M.H. Rand

B 552-AERE, Harwell
Didcot, Oxon, OX11 0RA, England

M.L. Saboungi

Chemical Engineering Division
Argonne National Laboratory
9700 South Cass Avenue
Argonne, Illinois 60439, U.S.A.

P.J. Spencer

Institute für Theoretische Huttenkunde
Rhein-Westf. Technische Hochschule
Kopernikusstrasse 16
51 Aachen, Germany

A.L. Udovskiy

Inst. of Metallurgy, Acad. of Sciences
Leninsky, Pr. 49
Moscow, 117334, Russia

Papers that are published in this journal are reviewed by the Editorial Board.

Production Editor: Douglas Chernow, Pergamon Press, Tarrytown, New York

Publishing, Subscription and Advertising Offices: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., E-mail Address: ESUK.USA@ELSEVIER.COM; and Pergamon Press Ltd., Headington Hill Hall, Oxford OX3 0BW, England.

Published Quarterly. Annual Institutional Subscription Rates (1994): North, Central and South America, U.S.\$470.00, Rest of World £305.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-Vat registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

AUTHOR INDEX

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

VOLUME 17. 1993

C. Bernard
Laboratoire de Thermodynamique
et Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire B.P.75,
38402 St. Martin d'Heres, FRANCE

- | | |
|--------------------------|-------------------------|
| AROKIARAJ S. 457 | KROUPA A. 466 |
| BLOK J.G. 450 | LEE B.J. 468 |
| CHANG Y.A. 449 | LEE D.N. 462 |
| CHANG Y.A. 455 | LIANG H. 476 |
| CHANG Y.A. 461 | LILIUS K. 454 |
| CHANG Y.A. 467 | LUCK R. 472 |
| CHANG Y.A. 471 | LUKAS H.L. 465 |
| CHEN S.L. 449 | MALE G. 464 |
| CHEN S.L. 455 | OATES W.A. 448 |
| CHEN S.L. 467 | OH C.S. 462 |
| CHEN S.L. 471 | OHTANI H. 453 |
| CHOU K.C. 467 | ONDERKA B. 446 |
| CHOU K.C. 471 | OONK H.A.J. 450 |
| CLAVAGUERA N. 474 | PANDO C. 458 |
| CLAVAGUERA-MORA M.T. 474 | PELTON A.D. 463 |
| COSTA NETO J.G. 465 | PREDEL B. 472 |
| COTO B. 458 | RAVINDRA REDDY S. 459 |
| DOJIVA R. 466 | RENUNCIO J.A.R. 458 |
| EFFENBERG G. 465 | SHIMING H. 451 |
| ERIKSSON G. 463 | SHIMING H. 452 |
| FRIES S.G. 465 | SOPOUSEK J. 466 |
| FRISK K. 473 | UDOVSKY A.L. 447 |
| GAMA S. 465 | VAN DER KEMP W.J.M. 450 |
| GRUJICIC M. 457 | VAN DER LINDE P.R. 450 |
| GRUJICIC M. 475 | VRESTAL J. 466 |
| GUIBAN M.A. 464 | WANG Z.C. 472 |
| HALLSTEDT B. 470 | WENZL H. 448 |
| HAMALAINEN M. 446 | WU P. 463 |
| HAMALAINEN M. 454 | WYPARTOWICZ J. 446 |
| HILLERT H. 453 | XINGJUN L. 451 |
| HOCH M. 460 | XINGJUN L. 452 |
| JIN Z. 476 | ZABDYR L.A. 456 |
| KAO C.R. 449 | ZABDYR L.A. 469 |
| KAUFMAN L. 474 | ZHOU X.W. 475 |
| KEJUN Z. 454 | ZUO Y. 449 |
| KOZODAEVA E.A. 447 | ZUO Y. 461 |

SUBJECT INDEX

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

VOLUME 17, 1993

C. Bernard
Laboratoire de Thermodynamique
et Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire B.P.75,
38402 St. Martin d'Heres, FRANCE

446

Lead activities and ternary miscibility gap in the Cu-Pb-Fe liquid solutions.
ONDERKA B., WYPARTOWICZ J., HAMALAINEN M.
Calphad, (1993), vol.17, t.1, p.1-16.

447

An optimized calculation of phase diagram and thermodynamic properties of the Ni-Cr system.
UDOVSKY A.L., KOZODAEVA E.A.
Calphad, (1993), vol.17, t.1, p.17-34.

448

Bond energy model of multiple sublattice solutions using species chemical potentials. Basic theory and relation to compound energy model.
OATES W.A., WENZL H.
Calphad, (1993), vol.17, t.1, p.35-46.

449

On the optimization of solution model parameter values of phases and the calculation of phase diagrams.
CHEN S.L., ZUO Y., KAO C.R., CHANG Y.A.
Calphad, (1993), vol.17, t.1, p.47-56.

450

The meltin properties of the earth alkaline oxides; thermodynamic analysis of the binary system $(1-X)\text{MgO} + X\text{CaO}$.
VAN DER KEMP W.J.M., VAN DER LINDE P.R., BLOK J.G., OONK H.A.J.
Calphad, (1993), vol.17, t.1, p.57-66.

451

An analysis on interaction parameters of binary solid solutions.
XINGJUN L., SHIMING H.
Calphad, (1993), vol.17, t.1, p.67-78.

452

A thermodynamic calculation of the Fe-Mn-Al ternary system.
XINGJUN L., SHIMING H.
Calphad, (1993), vol.17, t.1, p.79-92.

453

Calculation of V-C-N and Ti-C-N phase diagrams.
OHTANI H., HILLERT M.
Calphad, (1993), vol.17, t.1, p.93-100.

454

Thermodynamic modeling of the laves phases in the Cr-Zr system.

KEJUN Z., HAMALAINEN M., LILIUS K.

Calphad, (1993), vol.17,t.1, p.101-107

455

A thermodynamic analysis of the Al-Zn system and phase diagram calculation.

CHEN S.L., CHANG Y.A.

Calphad, (1993), vol.17, t.2, p.113-124.

456

Equilibrium diagram and thermodynamic properties of Cadmium-Antimony binary alloys. A critical assessment.

ZABDYR L.A.

Calphad, (1993), vol.17, t.2, p.125-132.

457

Chemical compatibility between zirconia dispersion and gamma titanium aluminide matrix.

GRUJICIC M., AROKIARAJ S.

Calphad, (1993), vol.17, t.2, p.133-140.

458

Correlation and prediction of phase equilibria in liquid mixtures by means of the uniquac equation.

COTO B., PANDO C., RENUNCIO J.A.R.

Calphad, (1993), vol.17, t.2, p.141-150.

459

Thermodynamics and phase equilibria in the system Ga-In using multi-parameter functions.

RAVINDRA REDDY S., HAJRA J.P.

Calphad, (1993), vol.17, t.2, p.151-156.

460

The phase stability of body-centered cubic nickel, and face-centered cubic chromium.

HOCH M.

Calphad, (1993), vol.17, t.2, p.157-160.

461

Thermodynamic calculation of the Al-Mg phase diagram.

ZUO Y., CHANG Y.A.

Calphad, (1993), vol.17, t.2, p.161-174.

462

Thermodynamic assessments of the In-Te and Al-Te systems.

OH C.S., LEE D.N.

Calphad, (1993), vol.17, t.2, p.175-188.

463

Critical evaluation and optimization of the thermodynamic properties and phase diagrams of the $\text{MgO-Al}_2\text{O}_3$, $\text{MnO-Al}_2\text{O}_3$, $\text{FeO-Al}_2\text{O}_3$, $\text{Na}_2\text{O-Al}_2\text{O}_3$ and $\text{K}_2\text{O-Al}_2\text{O}_3$ systems.

ERIKSSON G., WU P., PELTON A.D.
Calphad, (1993), vol.17, t.2, p.189-206.

464

The Ti-B-C-H-Cl system: a thermodynamic approach.

GUIBAN M.A., MALE G.
Calphad, (1993), vol.17, t.2, p.207-216.

465

Thermodynamic optimisation of the Nb-Cr system.

COSTA NETO J.G., FRIES S.G., LUKAS H.L., GAMA S., EFFENBERG G.
Calphad, (1993), vol.17, t.3, p.219-228.

466

The PD-package for multicomponent isobaric phase equilibrium calculations.

SOPOUSEK J., KROUPA A., DOJIVA R., VRESTAL J.
Calphad, (1993), vol.17, t.3, p.229-236

467

On a new strategy for phase diagram calculation. 1. Basic principles.

CHEN S.L., CHOU K.C., CHANG Y.A.
Calphad, (1993), vol.17, t.3, p.237-250.

468

Revision of thermodynamic descriptions of the Fe-Cr and Fe-Ni liquid phases.

LEE B.J.
Calphad, (1993), vol.17, t.3, p.251-268.

469

Thermodynamics and phase equilibria in the Sb-Zn system. Critical assessment.

ZABDYR L.A.
Calphad, (1993), vol.17, t.3, p.269-280

470

The magnesium-oxygen system.

HALLSTEDT B.
Calphad, (1993), vol.17, t.3, p.281-286.

471

On a new strategy for phase diagram calculation. 2. Binary systems.

CHEN S.L., CHOU K.C., CHANG Y.A.
Calphad, (1993), vol.17, t.3, p.287-302.

472

A general regular-type geometric model for quaternary and higher-order systems.

WANG Z.C., LUCK R., PREDEL B.

Calphad, (1993), vol.17, t.3, p.303-334.

473

A thermodynamic evaluation of the Cr-Mn-N system.

FRISK K.

Calphad, (1993), vol.17, t.3, p.335-350.

474

Summary of the proceedings of the twenty second calphad meeting.

CLAVAGUERA N., CLAVAGUERA-MORA M.T., KAUFMAN L.

Calphad, (1993), vol.17, t.4, p.353-382.

475

Analysis of Fe-Ni-Cr-N austenite using the embedded-atom method.

GRUJICIC M., ZHOU X.W.

Calphad, (1993), vol.17, t.4, p.383-413.

476

A reassessment of the Ti-Ni system.

LIANG H., JIN Z.

Calphad, (1993), vol.17, t.4, p.415-426.

- Ag-Cu-Ti 474
 Ag-Cu-Ti-O 474
 Al-Ce 474
 Al-Cu 474
 Al-Fe 451
 Al-Fe-Mn 452
 Al-Fe-Mn 454
 Al-Fe-Mn 474
 Al-Fe-Ni 474
 Al-Hf-Ni 474
 Al-Mg 461
 Al-Mg-O 474
 Al-Mn 474
 Al-Nd 474
 Al-O-Fe 474
 Al-Te 462
 Al-Ti 474
 Al-Ti-Nb 474
 Al-Zn 455
 Al₂O₃-FeO 463
 Al₂O₃-k₂O 463
 Al₂O₃-MgO 463
 Al₂O₃-MnO 463
 Al₂O₃-Na₂O 463
 B-C-H-Cl-Ti 464
 B-Nd-Fe 474
 Be-Fe 474
 Bi-O 474
 bond energy model 448
 C-Cr-V-Fe-Mo 474
 C-Fe-Cr 474
 C-H-Cl-Ti-B 464
 C-N-Fe 474
 C-N-Ti 453
 C-N-Ti 474
 C-N-V 453
 C-Zn 474
 C-Zr 474
 Ca-Fe-O-Si 474
 CaO-MgO 450
 Cd-Hg-Te 474
 Cd-Sb 456
 Cd-Te-Hg 474
 Cd-Te-Ti 474
 Ce-Al 474
 Ce-Mg 474
 CeO₂-ZrO₂ 474
 chemical capacitance 474
 chemsage 474
 Cl-Ti-B-C-H 464
 Co-Fe-Gd 474
 Co-Fe-Ni 474
 Co-In 474
 Co-Ti-Zr-Fe 474
 Co-Ti-Zr-Ni 474
 compound energy model 474
 Cr Ni lattice stability 460
 Cr-C-Fe 474
 Cr-Fe 451
 Cr-Fe 468
 Cr-Fe 474
 Cr-Fe-Mn-N 474
 Cr-Mn-N 473
 Cr-N-Fe-Ni 475
 Cr-Nb 465
 Cr-Ni 447
 Cr-Ni-Ta 474
 Cr-V-Fe-Mo-C 474
 Cr-Zn 454
 Cr-Zn-Cu 474
 Cr-Zr 454
 Cr-Zr-Cu 474
 Cu-Al 474
 Cu-Cr-Zn 474
 Cu-Cr-Zr 474
 Cu-Pb-Fe 446
 Cu-Pt 474
 Cu-Sn-Mg 474
 Cu-Ti-Ag 474
 Cu-Ti-O-Ag 474
 CVM 474
 Dy-Fe 474
 Fe-Al 451
 Fe-Al-O 474
 Fe-B-Nd 474
 Fe-Be 474
 Fe-C-N 474
 Fe-Co-Ti-Zr 474
 Fe-Cr 451
 Fe-Cr 468
 Fe-Cr 474
 Fe-Cr-C 474
 Fe-Cr-C 474
 Fe-Cu-Pb 446
 Fe-Dy 474
 Fe-Gd-Co 474
 Fe-Mn 474
 Fe-Mn-Al 452
 Fe-Mn-Al 474
 Fe-Mn-N-Cr 474
 Fe-Mo-C-Cr-V 474
 Fe-N 474
 Fe-Ni 468
 Fe-Ni-Al 474
 Fe-Ni-Co 474
 Fe-Ni-Cr-N 475
 Fe-Ni-Ti-Zr 474
 Fe-O-Si-Ca 474
 Fe-Tb 474
 Fe-Ti 474
 FeO-Al₂O₃ 463
 Ga-In 459
 Gd-Co-Fe 474
 gibbs alkaline earth oxides 474
 H-Cl-Ti-B-C 464
 Hf-Ni-Al 474
 Hg-Cd-Te 474
 Hg-Te-Cd 474
 In-Co 474
 In-Ga 459
 In-Te 462
 K₂O-Al₂O₃ 463
 lattice stability Cr 474
 lattice stability Ni Cr 460
 laves phases 454
 Li-Mg 474
 liquid phases 468
 LMTO-ASAP calculations 474
 Mg-Al 461
 Mg-Ce 474
 Mg-Cu-Sn 474
 Mg-Li 474
 Mg-O 470
 Mg-O-Al 474
 MgO-Al₂O₃ 463
 MgO-CaO 450
 miscibility gap 446
 Mn-Al 474
 Mn-Al-Fe 452
 Mn-Al-Fe 454
 Mn-Al-Fe 474
 Mn-Fe 474
 Mn-N-Cr 473
 Mn-N-Cr-Fe 474
 MnO-Al₂O₃ 463
 Mo-C-Cr-V-Fe 474
 model 472
 multicomponent slags 474
 N-Cr-Fe-Mn 474
 N-Cr-Mn 473
 N-Fe 474
 N-Fe-C 474
 N-Fe-Ni-Cr 475
 N-Ti-C 453
 N-Ti-C 474
 N-V-C 453
 Na₂O-Al₂O₃ 463
 Nb 474
 Nb-Al-Ti 474
 Nb-Cr 465

- Nd-Al 474
 Nd-Fe-B 474
 new strategy 467
 new strategy 471
 Ni-Al-Fe 474
 Ni-Al-Hf 474
 Ni-Co-Fe 474
 Ni-Co-Ti-Zr 474
 Ni-Cr 447
 Ni-Cr-N-Fe 475
 Ni-Fe 468
 Ni-Si 474
 Ni-Ta-Cr 474
 Ni-Ti 476
 Ni-Ti-Zr-Fe 474
 O-Ag-Cu-Ti 474
 O-Al-Mg 474
 O-Bi 474
 O-Fe-Al 474
 O-Mg 470
 O-Si-Ca-Fe 474
 Pb-Fe-Cu 446
 Pb-Sn-Sb 474
 Pb-Te 474
 Pb-Tl 474
 Pd-program package 466
 Pd-V-Sn 474
 Pt-Cu 474
 Sb-Cd 456
 Sb-Pb-Sn 474
 Sb-Zn 469
 Si-Ca-Fe-O 474
 Si-Ni 474
 Sn-Mg-Cu 474
 Sn-Pd-V 474
 Sn-Sb-Pb 474
 solution model 449
 Ta 474
 Ta-Cr-Ni 474
 Tb-Fe 474
 Te-Al 462
 Te-Cd-Hg 474
 Te-In 462
 Te-Pb 474
 Te-Ti-Cd 474
 Ti-Ag-Cu 474
 Ti-Al 474
 Ti-B-C-H-Cl 464
 Ti-C-N 453
 Ti-C-N 474
 Ti-Cd-Te 474
 Ti-Fe 474
 Ti-Nb-Al 474
 Ti-Ni 476
 Ti-O-Ag-Cu 474
 Ti-Zr-Fe-Co 474
 Ti-Zr-Fe-Ni 474
 Ti-Zr-Ni-Co 474
 Tl-Pb 474
 toughening for gamma TiAl by ZrO₂ 457
 transition aluminides 474
 uniaxial equation 458
 V 474
 V-C-N 453
 V-Fe-Mo-C-Cr 474
 V-Sn-Pd 474
 YBa₂Cu₃O_{7-x} 474
 Zn-Al 455
 Zn-Sb 469
 Zr-C 474
 Zr-Cr 454
 Zr-Cu-Cr 474
 Zr-Fe-Co-Ti 474
 Zr-Fe-Ni-Ti 474
 Zr-Ni-Co-Ti 474
 ZrO₂-CeO₂ 474

